SAFETY DATA SHEET

TMI Products Inc

Stick Fast Epoxy Hardener 319

according to Regulation (EC) No 1907/2006

Stick Fast 319 Hardener

Revision date: 26.27.2023: Product code: 319 Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Stick Fast Epoxy 319 Hardener; 5 minute Epoxy

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Adhesives, sealants

Uses advised against

any non-intended use.

1.3. Details of the supplier of the safety data sheet

Company name: TMI Products Inc. dba Stick Fast Inc

Peachtree, GA 30269 Place: Telephone: +1 770-631-7897 Internet: www.stickfast.com Responsible Department: info@stickfast.com

1.4. Emergency telephone 1-888-255-3924 CHEMTEL International 813-248-0585

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC

Indications of danger: Xn - Harmful

R phrases:

Harmful by inhalation and if swallowed.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:

Acute toxicity: Acute Tox. 4 Acute toxicity: Acute Tox. 4

Hazard Statements:

Harmful if swallowed or if inhaled.

2.2. Label elements

Hazardous components which must be listed on the label

2,2'-[1,2-ethanediylbis(oxy)]bis(ethanethiol)

Signal word: Warning Pictograms: GHS07



Hazard statements

H302+H332 Harmful if swallowed or if inhaled.

Precautionary statements

P270 Do not eat, drink or smoke when using this product. Call a POISON CENTER/doctor if you feel unwell. P312

P501 Dispose of contents/container to in accordance with official regulations.

SAFETY DATA SHEET

TMI Products Inc.

according to Regulation (EC) No 1907/2006

Stick Fast Epoxy 319 Hardener

Print date 27.10.2023 Product code: 319 Page 2 of 9

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
REACH No	01-2120118957-46-0000	
239-044-2	2,2'-[1,2-ethanediylbis(oxy)]bis(ethanethiol)	60 - 100 %
14970-87-7	Xn - Harmful R20/22	
	Acute Tox. 4, Acute Tox. 4; H302 H332	

Full text of R-, H- and EUH-phrases: see section 16.

Further Information

Product does not contain listed SVHC substances.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

Take off immediately all contaminated clothing. Wash immediately with: Water and soap. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

refer to chapter 2 and 11.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Extinguishing powder, Carbon dioxide (CO2), Foam, Water spray jet

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide., Carbon dioxide (CO2), Nitrogen oxides (NOx),

SAFETY DATA SHEET

TMI Products Inc.

according to Regulation (EC) No 1907/2006

Stick Fast Epoxy 319 Hardener

Print date: 29.05.2019 Product code: 319 Page 3 of 9

Sulphur oxides

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. In case of fire and/or explosion do not breathe fumes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation.

Do not breathe vapour/aerosol. Avoid contact with skin, eyes and clothes.

Wear personal protection equipment (refer to section 8).

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation.

Do not breathe vapour/aerosol.

Wear personal protection equipment (refer to section 8).

Advice on protection against fire and explosion

Usual measures for fire prevention.

Further information on handling

Conditions to avoid: Generation/formation of aerosols

General protection and hygiene measures: See section 8.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep only in the original container in a cool, well-ventilated place.

Keep container tightly closed and dry.

Advice on storage compatibility

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances.

Further information on storage conditions

Protect against: Heat, Humidity, UV-radiation/sunlight

7.3. Specific end use(s)

refer to chapter 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

SAFETY DATA SHEET

TMI Products, Inc.

according to Regulation (EC) No 1907/2006

Stick Fast Epoxy 319 Hardener

Print date 27.10.2023 Product code: 319 Page 4 of 9

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls



Appropriate engineering controls

Provide adequate ventilation.

Protective and hygiene measures

Always close containers tightly after the removal of product. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

Eye/face protection

Recommended eye protection articles: Eye glasses with side protection DIN EN 166

Hand protection

In case of prolonged or frequently repeated skin contact: Wear suitable gloves. DIN EN 374

Suitable material:

NBR (Nitrile rubber) (0,35 mm)

Breakthrough time (maximum wearing time): >480 min

Check leak tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Protective clothing.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

insufficient ventilation

Generation/formation of aerosols

Suitable respiratory protection apparatus: Combination filtering device (EN 14387) Type A-P2/3

The filter class must be suitable for the maximum contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Environmental exposure controls

Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid Colour: clear

Odour: characteristic

Test method

pH-Value: not determined

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Pour point:

not determined

>149 °C

not determined

SAFETY DATA SHEET

TMI Products, Inc.

according to Regulation (EC) No 1907/2006

Stick Fast Epoxy 319 Hardener

Print date: 29.05.2019 Product code: 319 Page 5 of 9

Flash point: 157 °C Cleveland open cup

Sustaining combustion:

No data available

Explosive properties

none

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not determined

not determined

not determined

not determined

Oxidizing properties

none

Vapour pressure: not determined

Density: 1,3 g/cm³

Water solubility: partially soluble

Solubility in other solvents

not determined

Viscosity / dynamic: not determined
Viscosity / kinematic: not determined
Evaporation rate: not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable under normal storage and handling conditions.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

Protect against direct sunlight. Keep away from heat.

10.5. Incompatible materials

Oxidising agent, Acid

10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide., Carbon dioxide (CO2), Nitrogen oxides (NOx), Sulphur oxides

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No information available.

Acute toxicity

Harmful if swallowed or if inhaled.

ATEmix calculated

ATE (oral) 500,0 mg/kg; ATE (inhalative vapour) 11,00 mg/l; ATE (inhalative aerosol) 1,500 mg/l

SAFETY DATA SHEET

TMI Products, Inc.

according to Regulation (EC) No 1907/2006

Stick Fast Epoxy 319 Hardener

Print date 27.10.2023 Product code: 319 Page 6 of 9

CAS No	Chemical name					
	Exposure routes	Method	Dose	Species	Source	
14970-87-7	2,2'-[1,2-ethanediylbis(oxy)]bis(ethanethiol)					
	oral	ATE	500 mg/kg			
	inhalative vapour	ATE	11 mg/l			
	inhalative aerosol	ATE	1,5 mg/l			

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

Severe effects after repeated or prolonged exposure

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

No data available

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No data available

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to EAKV:

SAFETY DATA SHEET

TMI Products Inc.

according to Regulation (EC) No 1907/2006

Stick Fast Epoxy 319 Hardener

Print date 27.10.2023 Product code: 319 Page 7 of 9

Waste disposal number of waste from residues/unused products

080409

WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other dangerous substances

Classified as hazardous waste. Waste disposal number of used product

080409

WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other dangerous substances Classified as hazardous waste.

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE

CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by dangerous substances

Classified as hazardous waste.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:	Not restricted
14.2. UN proper shipping name:	Not restricted
14.3. Transport hazard class(es):	Not restricted
14.4. Packing group:	Not restricted

Inland waterways transport (ADN)

14.1. UN number:	Not restricted
14.2. UN proper shipping name:	Not restricted
14.3. Transport hazard class(es):	Not restricted
14.4. Packing group:	Not restricted

Marine transport (IMDG)

14.1. UN number:	Not restricted
14.2. UN proper shipping name:	Not restricted
14.3. Transport hazard class(es):	Not restricted
14.4. Packing group:	Not restricted

Air transport (ICAO)

14.1. UN number:	Not restricted
14.2. UN proper shipping name:	Not restricted
14.3. Transport hazard class(es):	Not restricted
14.4. Packing group:	Not restricted

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

refer to chapter 6-8

SAFETY DATA SHEET

TMI Products Inc.

according to Regulation (EC) No 1907/2006

Stick Fast Epoxy 319 Hardener

Print date 27.10.2023 Product code: 319 Page 8 of 9

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC): No information available. 2004/42/EC (VOC): No information available.

Additional information

This preparation is hazardous in the sense of regulation (EC) No 1272/2008 [GHS].

Not subject to 96/82/EC

National regulatory information

Employment restrictions: Observe employment restrictions for young people. Observe employment

restrictions for child bearing mothers and nursing.

Water contaminating class (D): 2 - water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Rev. 1.00; 26.05.2019, Initial release

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

CAS Chemical Abstracts Service DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level

NTP: National Toxicology Program

N/A: not applicable

OSHA: Concerning the International Transport of Dangerous Goods by Rail)

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern TRGS Technische Regeln für Gefahrstoffe TSCA: Toxic Substances Control Act



SAFETY DATA SHEET

TMI Products Inc.

according to Regulation (EC) No 1907/2006

Stick Fast Epoxy 319 Hardener

Print date 27.10.2023 Product code: 319 Page 9 of 9

VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe

WGK: Wassergefährdungsklasse

Relevant R-phrases (Number and full text)

20/22 Harmful by inhalation and if swallowed.

Relevant H- and EUH-phrases (Number and full text)

H302 Harmful if swallowed.

H302+H332 Harmful if swallowed or if inhaled.

H332 Harmful if inhaled.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)