SAFETY DATA SHEET

Stick Fast DEBONDER

Version 1.4 Revision Date 10/15/2023

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name Stick Fast DEBONDER

Product code 120; (Bottled DeBonder) sku # 830314001208

Manufacturer or supplier's details

Company TMI Products Inc dba Stick Fast Inc

Address 308 D Bob Industrial Dr Suite 8

Peachtree City, GA 30269

Telephone 1-770-631-7897

Medical Emergency Phone Number (24 Hours): 1-888-853-1758

Transport Emergency Phone Number (CHEMTEL): 1-888-255-3924 1-813-248-0585

Recommended use of the chemical and restrictions on use

Recommended use Cyanoacrylate Debonder or Remover

(Turns Cyanoacrylate adheseves into a non-Adhesive)

Restrictions on use For industrial use only.

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid	
Color	Clear to light yellow	
Odor	characteristic	

GHS Classification

Flammable liquids Category 2 Acute toxicity (Oral) Category 4 Acute toxicity (Inhalation) Category 4 Category 2A Eye irritation Carcinogenicity Category 2 Reproductive toxicity Category 2

Specific target organ toxicity -

: Category 3 (Central nervous system)

single exposure

GHS label elements

Hazard pictograms





Signal Word Danger

Print Date 10/30/2023 Page **2** of **10**

SAFETY DATA SHEET

Stick Fast DEBONDER

Version 1.4

Revision Date 10/30/2023

Hazard Statements:

H225 Highly flammable liquid and vapor. H302 + H332 Harmful if swallowed or if inhaled. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H351 Suspected of causing cancer. H361 Suspected of damaging fertility or the unborn child.

Precautionary Statements:

Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response: P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage: P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.

Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

Potential Health Effects

Carcinogenicity:

IARC Group 2B: Possibly carcinogenic to humans

nitromethane 75-52-5

OSHANo component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP Reasonably anticipated to be a human carcinogen

nitromethane 75-52-5

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical name	CAS-No.	Concentration [%]
nitromethane	75-52-5	70 - 90
Butanone	78-93-3	20 - 30

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

Print Date 08/30/2023 Page **3** of **10**

SAFETY DATA SHEET

Stick Fast DEBONDER

Version 1.4 Revision Date 10/30/2023

General advice : Show this material safety data sheet to the doctor in

attendance.

If inhaled : Move to fresh air.

Keep patient warm and at rest.

Consult a physician after significant exposure.

In case of skin contact : Wash off immediately with soap and plenty of water.

Call a physician if irritation develops or persists.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids.

Seek medical advice.

If swallowed, call a poison control center or doctor

immediately.

Do not induce vomiting without medical advice.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Carbon dioxide (CO2)

Sand Foam

Unsuitable extinguishing

media

: Water

Hazardous combustion

products

Specific extinguishing

methods

Further information

: Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

: No hazardous combustion products are known

Special protective equipment

for fire-fighters

: Wear an approved positive pressure self-contained breathing

apparatus in addition to standard fire fighting gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.

Ensure adequate ventilation.

Environmental precautions : Prevent product from entering drains.

Do not flush into surface water or sanitary sewer system.

Methods and materials for containment and cleaning up

: Ventilate the area.

Soak up with inert absorbent material.

Do not flush with water. Shovel or sweep up.

Print Date 10/30/2023 Page **4** of **10**

SAFETY DATA SHEET

Stick Fast DEBONDER

Version 1.4 Revision Date 10/30/2023

SECTION 7. HANDLING AND STORAGE

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Wear personal protective equipment.

Do not get on skin or clothing. Keep away from heat and flame.

Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-

ventilated place.

Store in original container.

Materials to avoid : Do not store together with oxidizing and self-igniting products.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
nitromethane	75-52-5	TWA	20 ppm	ACGIH
		TWA	100 ppm 250 mg/m3	OSHA Z-1
		TWA	100 ppm 250 mg/m3	OSHA P0
		PEL	2 ppm 5 mg/m3	CAL PEL
Butanone	78-93-3	TWA	200 ppm	ACGIH
		STEL	300 ppm	ACGIH
		TWA	200 ppm 590 mg/m3	OSHA Z-1
		TWA	200 ppm 590 mg/m3	OSHA P0
		STEL	300 ppm 885 mg/m3	OSHA P0
		PEL	200 ppm 590 mg/m3	CAL PEL
		STEL	300 ppm 885 mg/m3	CAL PEL

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Combined particulates and organic vapor type

SAFETY DATA SHEET

Stick Fast DEBONDER

Version 1.4 Revision Date 10/30/2023

Hand protection

Material : Impervious gloves

Eye protection : Tightly fitting safety goggles

Ensure that eyewash stations and safety showers are close to

the workstation location.

Skin and body protection : Long sleeved clothing

Preventive skin protection

Protective measures : Avoid contact with skin.

Hygiene measures : Avoid contact with skin, eyes and clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : Clear to light yellow
Odor : characteristic
Odor Threshold : no data available
pH : is not determined
Melting point/freezing point : is not determined

Flash point : -9 °C

Boiling point/boiling range

not applicable

: is not determined

Evaporation rate : is not determined

Flammability (solid, gas) : Not classified as a flammability hazard

Upper explosion limit : Upper flammability limit

is not determined

Lower explosion limit : Lower flammability limit

is not determined

Vapor pressure : is not determined

Density : 1.05 g/cm3

Solubility(ies)

Water solubility : is not determined Partition coefficient: n- : no data available

octanol/water

Autoignition temperature : is not determined

Viscosity

Viscosity, kinematic : is not determined

Print Date 10/30/2023 Page **6** of **10**

SAFETY DATA SHEET

Stick Fast DEBONDER

Version 1.4 Revision Date 10/30/2023

SECTION 10. STABILITY AND REACTIVITY

Chemical stability : The product is chemically stable.

Hazardous decomposition

products

: Nitrogen oxides (NOx)

Sulfur oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate : 645.67 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate : 14.2 mg/l

Exposure time: 4 h
Test atmosphere: vapor
Method: Calculation method

Components:

nitromethane:

Acute inhalation toxicity : LC50 Rat: 6 mg/l

Exposure time: 4 h
Test atmosphere: vapor

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT-single exposure

Print Date 10/30/2023 Page **7** of **10**

SAFETY DATA SHEET

Stick Fast DEBONDER

Version 1.4

Revision Date 10/30/2023

No data available

STOT-repeated exposure

No data available

Aspiration toxicity

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of together with household waste.

Do not dispose of waste into sewer.

To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Disposal via incineration at an approved facility is recommended, as industry best practice. Consult state, local or provincial authorities for more

restrictive requirements.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN/ID No. : UN 1993

Proper shipping name : Flammable liquid, n.o.s.

(NITROMETHANE, 2-Butanone)

Class : 3 Packing group : II

Labels : Flammable Liquids

Print Date 10/30/2023 Page **8** of **10**

SAFETY DATA SHEET

Stick Fast DEBONDER

Version 1.4 Revision Date 10/30/2023

IMDG-Code

UN number : UN 1993

Proper shipping name : FLAMMABLE LIQUID, N.O.S.

(NITROMETHANE, 2-Butanone)

Class : 3
Packing group : II
Labels : 3
EmS Code : F-E, S-E
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number : UN 1993

Proper shipping name : Flammable liquids, n.o.s.

(NITROMETHANE, 2-Butanone)

Class : 3 Packing group : II

Labels : FLAMMABLE LIQUID

ERG Code : 128 Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)

Acute toxicity (any route of exposure)

Carcinogenicity
Reproductive toxicity

Serious eye damage or eye irritation

Specific target organ toxicity (single or repeated exposure)

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

SARA 313 : The following components are subject to reporting levels established

by SARA Title III, Section 313:

nitromethane 75-52-5

SAFETY DATA SHEET

Stick Fast DEBONDER

Version 1.4 Revision Date 10/30/2023

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

US State Regulations

California Prop 65 Please contact Supplier for more information.

The ingredients of this product are reported in the following inventories:

TSCA All substances listed as active on the TSCA inventory

DSL All components of this product are on the Canadian DSL

AIIC On the inventory, or in compliance with the inventory

ENCS On the inventory, or in compliance with the inventory

KECI On the inventory, or in compliance with the inventory

PICCS On the inventory, or in compliance with the inventory

IECSC On the inventory, or in compliance with the inventory


Inventories LegendTSCA (USA), DSL (Canada), REACH(Europe), AIIC (Australia), NZIoC (New Zealand), ENCS (Japan), KECI (Korea), PICCS (Philippines), IECSC (China), TWINV (Taiwan)

SECTION 16. OTHER INFORMATION

Prepared by:TMI Products Inc dba Stick Fast Inc. phone: 1-770-631-7897 - email: info@stickfast.com

Further information

NFPA:



HMIS III:

HEALTH	2*
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Print Date 10/30/2023 Page **10** of **10**

SAFETY DATA SHEET

Stick Fast DEBONDER

Version 1.4

Revision Date 10/30/2023

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to the Stick Fast Company from its suppliers, and because the Stick Fast Company has no control over the conditions of handling and use, the Stick Fast Company makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and the Stick Fast Company assumes no responsibility for use or reliance thereon. It is the responsibility of the user of Stick Fast Company products to comply with all applicable federal, state and local laws and regulations.